

## Safety Data Sheet

according to Regulation (EC) Nr. 1907/2006

### Polish Fine Cut

Revision date: 30.05.2023

Page 1 of 14

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Polish Fine Cut

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Automotive care products

##### 1.3. Details of the supplier of the safety data sheet

Company name:	KaiserRein Car Sense HMSK e.K.	
Street:	Pöttinger Straße 9a	
Place:	D-82041 Oberhaching	
Telephone:	089 / 5880222-88	Telefax: 089 / 5880222-89
E-mail:	info@kaiser-rein.de	
Contact person:	Stefan Kaiser	
Internet:	www.kaiser-rein.de	
Responsible Department:	SDS	

1.4. Emergency telephone number: +4989588022288

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

according to Regulation (EC) Nr. 1272/2008 [CLP]

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

##### 2.2. Label elements

according to Regulation (EC) Nr. 1272/2008 [CLP]

###### Hazard components for labelling

This product has been treated with biocides for preservation.

###### Precautionary statements

P102 Keep out of reach of children.

###### Special labelling of certain mixtures

EUH208	Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

##### 2.3. Other hazards

No information available.

#### SECTION 3: Composition/information on ingredients

##### 3.2. Mixtures



## Polish Fine Cut

Revision date: 30.05.2023

Page 2 of 14

## Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (according to Regulation (EC) Nr. 1272/2008 [CLP])	
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene	10 - < 15 %
	918-481-9	
	01-2119457273-39	
	Asp. Tox. 1; H304 EUH066	
	hydrocarbons, C11- C14, n-alkanes, isoalkanes, cycloalkanes , <0,1% benzene	5 - < 10 %
	926-141-6	
	01-2119456620-43	
	Asp. Tox. 1; H304 EUH066	
8042-47-5	white mineral oil ( petroleum )	1 - < 5 %
	232-455-8	
	01-2119487078-27	
	Asp. Tox. 1; H304	
8016-20-4	grapefruit oil	< 1 %
	289-904-6	
	01-2120119763-56	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2; H226 H315 H317 H304 H411	
55965-84-9	mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1)	< 0.1 %
	611-341-5	
	613-167-00-5	
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071	

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
	918-481-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene	10 - < 15 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg	
	926-141-6	hydrocarbons, C11- C14, n-alkanes, isoalkanes, cycloalkanes , <0,1% benzene	5 - < 10 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg	
8042-47-5	232-455-8	white mineral oil ( petroleum )	1 - < 5 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg	
8016-20-4	289-904-6	grapefruit oil	< 1 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg	
55965-84-9	611-341-5	mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1)	< 0.1 %
		inhalation: ATE = 0,5 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = >141 mg/kg; oral: LD50 = 66 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

## General information

No special measures are necessary. When in doubt or if symptoms are observed, get medical advice.

## After inhalation

Provide fresh air. In case of respiratory tract irritation, consult a physician.

## Safety Data Sheet

according to Regulation (EC) Nr. 1907/2006

### Polish Fine Cut

Revision date: 30.05.2023

Page 3 of 14

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Call a doctor.

#### **4.2. Most important symptoms and effects, both acute and delayed**

No information available.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

### SECTION 5: Firefighting measures

#### **5.1. Extinguishing media**

##### Suitable extinguishing media

Foam. Dry extinguishing powder. Carbon dioxide (CO<sub>2</sub>). Water spray jet. Co-ordinate fire-fighting measures to the fire surroundings.

##### Unsuitable extinguishing media

Full water jet

#### **5.2. Special hazards arising from the substance or mixture**

No special measures are necessary.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

##### For non-emergency personnel

Remove all sources of ignition. Ventilate affected area. Wear personal protection equipment (refer to section 8).

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Use personal protection equipment. Tested protective gloves must be worn: Recommended material: NBR (Nitrile rubber). Unsuitable material: PVC (polyvinyl chloride)

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### **6.3. Methods and material for containment and cleaning up**

##### For containment

Collect spillage. Stop leak if safe to do so. Cover drains.

##### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### Other information

Use non-sparking tools. Clean contaminated articles and floor according to the environmental legislation.

**Polish Fine Cut**

Revision date: 30.05.2023

Page 4 of 14

**6.4. Reference to other sections**

Safe handling: see section 7  
 Personal protection equipment: see section 8  
 Disposal: see section 13

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Advice on safe handling**

No special measures are necessary. Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary. Only use the material in places where open light, fire and other flammable sources can be kept away.

**Advice on general occupational hygiene**

Take off contaminated clothing. Wash hands before breaks and after work. When using do not smoke. When using do not eat or drink. Avoid contact with skin, eyes and clothes. Avoid breathing dust/fume/gas/mist/vapours/spray.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep only in the original container in a cool, well-ventilated place. Keep container tightly closed.

**Hints on joint storage**

Do not store together with: Oxidising agent. Strong acid. Strong alkali.

**Further information on storage conditions**

Recommended storage temperature: 15-25°C

**7.3. Specific end use(s)**

Automotive care products

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
1344-28-1	Aluminium oxides, respirable dust	-	4		TWA (8 h)	WEL

**Safety Data Sheet**

according to Regulation (EC) Nr. 1907/2006

**Polish Fine Cut**

Revision date: 30.05.2023

Page 5 of 14

**DNEL/DMEL values**

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
1344-28-1	aluminium oxide		
Consumer DNEL, long-term	oral	systemic	3,29 mg/kg bw/day
Worker DNEL, long-term	inhalation	local	15,63 mg/m <sup>3</sup>
8042-47-5	white mineral oil ( petroleum )		
Consumer DNEL, long-term	inhalation	systemic	35 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	93 mg/kg bw/day
Worker DNEL, long-term	inhalation	systemic	160 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	220 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	40 mg/kg bw/day
8016-20-4	grapefruit oil		
Worker DNEL, long-term	inhalation	systemic	31,1 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	8,89 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	7,78 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	4,44 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	4,44 mg/kg bw/day

**PNEC values**

CAS No	Substance	
Environmental compartment	Value	
1344-28-1	aluminium oxide	
Freshwater	0,0749 mg/l	
Micro-organisms in sewage treatment plants (STP)	20 mg/l	
8016-20-4	grapefruit oil	
Freshwater	0,0054 mg/l	
Marine water	0,00054 mg/l	
Freshwater sediment	1,3 mg/kg	
Marine sediment	0,13 mg/kg	
Soil	0,29 mg/kg	

**8.2. Exposure controls**



**Appropriate engineering controls**

Use only in well-ventilated areas.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Wear eye/face protection.

**Safety Data Sheet**

according to Regulation (EC) Nr. 1907/2006

**Polish Fine Cut**

Revision date: 30.05.2023

Page 6 of 14

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Tested protective gloves must be worn.

Recommended glove articles: HyFlex® Foam (EN 420, EN 388 (3131)).

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**Environmental exposure controls**

No special environmental measures are necessary. Do not allow uncontrolled discharge of product into the environment.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state: Liquid  
 Colour: light green  
 Odour: fruity

**Test method**

Melting point/freezing point:	not determined	
Boiling point or initial boiling point and boiling range:	100 °C	
Flammability:	not applicable	
	not applicable	
Lower explosion limits:	0,5 vol. %	
Upper explosion limits:	7 vol. %	
Flash point:	>61 °C	
Auto-ignition temperature:	>200 °C	
Decomposition temperature:	not determined	
pH-Value (at 20 °C):	8	
Viscosity / kinematic: (at 40 °C)	>20,5 mm <sup>2</sup> /s	
Water solubility: (at 20 °C)	completely miscible	
Solubility in other solvents not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure: (at 20 °C)	0,6 hPa	
Vapour pressure: (at 50 °C)	not determined	ASTM D 323
Density (at 20 °C):	0,95 g/cm <sup>3</sup>	
Relative density:	not determined	
Bulk density:	not determined	

**9.2. Other information**

**Other safety characteristics**

Solvent content: 23,70 %  
 Viscosity / dynamic:  
(at 20 °C) 8000-13000 mPa·s

## Safety Data Sheet

according to Regulation (EC) Nr. 1907/2006

### Polish Fine Cut

Revision date: 30.05.2023

Page 7 of 14

#### SECTION 10: Stability and reactivity

##### **10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

##### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

##### **10.3. Possibility of hazardous reactions**

No known hazardous reactions.

##### **10.4. Conditions to avoid**

Only use the material in places where open light, fire and other flammable sources can be kept away.

##### **10.5. Incompatible materials**

Strong acid. Strong alkali. Highly oxidising substances.

##### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

#### SECTION 11: Toxicological information

##### **11.1. Information on hazard classes as defined in CLP Regulation**

###### **Toxicokinetics, metabolism and distribution**

No information available.

###### **Acute toxicity**

Based on available data, the classification criteria are not met.

###### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l



## Polish Fine Cut

Revision date: 30.05.2023

Page 8 of 14

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene				
	oral	LD50 >5000 mg/kg	Rat	ECHA	OECD TG 401
	dermal	LD50 >5000 mg/kg	Rabbit	ECHA	OECD TG 402
	hydrocarbons, C11- C14, n-alkanes, isoalkanes, cycloalkanes , <0,1% benzene				
	oral	LD50 >5000 mg/kg	Ratte	ECHA	OECD TG 401
	dermal	LD50 >5000 mg/kg	Kaninchen	ECHA	OECD TG 402.
8042-47-5	white mineral oil ( petroleum )				
	oral	LD50 >5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 >2000 mg/kg	Rabbit	ECHA	OECD 402
8016-20-4	grapefruit oil				
	oral	LD50 >5000 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 >5000 mg/kg	Rabbit	ECHA	OECD 402
55965-84-9	mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1)				
	oral	LD50 66 mg/kg	Rat	Thor	
	dermal	LD50 >141 mg/kg		Thor	
	inhalation vapour	ATE 0,5 mg/l			
	inhalation dust/mist	ATE 0,05 mg/l			

**Irritation and corrosivity**

Based on available data, the classification criteria are not met.

**Sensitising effects**

Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Specific effects in experiment on an animal**

No information available.

**Additional information on tests**

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

**SECTION 12: Ecological information****12.1. Toxicity**

**Polish Fine Cut**

Revision date: 30.05.2023

Page 9 of 14

Based on available data, the classification criteria are not met.



## Polish Fine Cut

Revision date: 30.05.2023

Page 10 of 14

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene					
	Acute fish toxicity	LC50 >1000 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA	OECD 203
	Acute algae toxicity	ErC50 >1000 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	OECD 201
	Acute crustacea toxicity	EC50 >1000 mg/l	48 h	Daphnia magna (Big water flea)	ECHA	OECD 202
	hydrocarbons, C11- C14, n-alkanes, isoalkanes, cycloalkanes , <0,1% benzene					
	Acute fish toxicity	LL50 >1000 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	ECHA	OECD 203
	Acute algae toxicity	ErC50 >1000 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	OECD 201
	Acute crustacea toxicity	EL50 >1000 mg/l	48 h	Daphnia magna (Big water flea)	ECHA	OECD 202
	Algae toxicity	NOEC 1000 mg/l	3 d	Pseudokirchneriella subcapitata	ECHA	
8042-47-5	white mineral oil ( petroleum )					
	Acute fish toxicity	LL50 >1000 mg/l	96 h	Leuciscus idus (golden orfe)	ECHA	OECD 203
	Acute algae toxicity	ErC50 >100 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	OECD 201
	Acute crustacea toxicity	EL50 >100 mg/l	48 h	Daphnia magna (Big water flea)	ECHA	OECD 202
	Algae toxicity	NOEC >=100 mg/l	72 d	Pseudokirchneriella subcapitata	ECHA	OECD 201
8016-20-4	grapefruit oil					
	Acute fish toxicity	LL50 5,65 mg/l	96 h	Danio rerio (zebrafish)	ECHA	OECD 203
	Acute algae toxicity	ErC50 8 mg/l	72 h	Pseudokirchneriella subcapitata	ECHA	OECD 201
	Acute crustacea toxicity	EL50 1,1 mg/l	48 h	Daphnia magna (Big water flea)	ECHA	OECD 202
	Fish toxicity	NOEC 4 mg/l	4 d	Danio rerio (zebrafish)	ECHA	OECD 203
	Algae toxicity	NOEC 3,2 mg/l	3 d	Pseudokirchneriella subcapitata	ECHA	OECD 201
	Crustacea toxicity	NOEC 0,48 mg/l	2 d	Daphnia magna (Big water flea)	ECHA	OECD 202
55965-84-9	mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1)					
	Acute fish toxicity	LC50 0,22 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	Thor	OECD 203
	Acute algae toxicity	ErC50 0,048 mg/l	72 h	Pseudokirchneriella subcapitata	Thor	OECD 201
	Acute crustacea toxicity	EC50 0,1 mg/l	48 h	Daphnia magna (Big water flea)	Thor	OECD 202
	Fish toxicity	NOEC 0,098 mg/l	28 d	Oncorhynchus mykiss (Rainbow trout)	Thor	OECD 210
	Algae toxicity	NOEC 0,0012 mg/l	3 d	Pseudokirchneriella subcapitata	Thor	OECD 201
	Crustacea toxicity	NOEC 0,004 mg/l	21 d	Daphnia magna (Big water flea)	Thor	OECD 211



## Polish Fine Cut

Revision date: 30.05.2023

Page 11 of 14

	Acute bacteria toxicity	(EC50 7,92 mg/l)	3 h	Activated sludge		OECD 209
--	-------------------------	------------------	-----	------------------	--	----------

**12.2. Persistence and degradability**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 0,1% Benzene				
	OECD 301 F	80%	28	ECHA	
	Readily biodegradable (according to OECD criteria).				
	hydrocarbons, C11- C14, n-alkanes, isoalkanes, cycloalkanes , <0,1% benzene				
	OECD 301 F	89,8%	28	ECHA	
	Readily biodegradable (according to OECD criteria).				
8042-47-5	white mineral oil ( petroleum )				
	OECD 301F	31 %	28	ECHA	
	Not readily biodegradable (according to OECD criteria)				
8016-20-4	grapefruit oil				
	OECD Guideline 302 C	75%	28	ECHA	
	Readily biodegradable (according to OECD criteria).				
55965-84-9	mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1)				
	OECD 301 A	>70 %	28	Thor	
	Readily biodegradable (according to OECD criteria).				
	OECD 301 D	>60%		Thor	
	Readily biodegradable (according to OECD criteria).				

**12.3. Bioaccumulative potential**

The product has not been tested.

**Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
8042-47-5	white mineral oil ( petroleum )	>4

**BCF**

CAS No	Chemical name	BCF	Species	Source
55965-84-9	mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1)	3,16		EPIWIN, S 1177

**12.4. Mobility in soil**

The product has not been tested.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

No information available.

## Safety Data Sheet

according to Regulation (EC) Nr. 1907/2006

### Polish Fine Cut

Revision date: 30.05.2023

Page 12 of 14

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### Contaminated packaging

Non-contaminated packages may be recycled.

### SECTION 14: Transport information

#### Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No special measures are necessary.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

2010/75/EU (VOC):	19,903 % (189,075 g/l)
2004/42/EC (VOC):	20,006 % (190,053 g/l)
Information according to 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

## Safety Data Sheet

according to Regulation (EC) Nr. 1907/2006

### Polish Fine Cut

Revision date: 30.05.2023

Page 13 of 14

#### Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Flam. Liq: Flammable liquids

Acute Tox: Acute toxicity

Asp. Tox: Aspiration hazard

Skin Corr: Skin corrosion

Skin Irrit: Skin irritation

Eye Dam: Eye damage

Skin Sens: Skin sensitisation

Aquatic Acute: Acute aquatic hazard

Aquatic Chronic: Chronic aquatic hazard

#### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.
EUH071	Corrosive to the respiratory tract.
EUH208	Contains mixture of 5-chloro-2-methyl-2H-isothiazol-3-one (EG No. 247-500-7) and 2-methyl-2H-isothiazol-3-one (EG No. 220-239-6) (3:1). May produce an allergic reaction.
EUH210	Safety data sheet available on request.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

**Safety Data Sheet**

according to Regulation (EC) Nr. 1907/2006

**Polish Fine Cut**

Revision date: 30.05.2023

Page 14 of 14

**Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Formulation or re-packing	F	-	-	8a, 9	2	-	-	
2	Automotive care products, Industrial uses	IS	-	-	7, 10, 17	4	-	-	
3	Automotive care products, Professional uses	PW	-	-	10, 11, 17	8a	-	-	
4	Automotive care products, Consumer use	C	-	31	-	8a	-	-	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*